INT. J. CONTROL, 1992, VOL. 56, NO. 6, 1463–1465

SUBJECT INDEX (VOL. 56)

Adaptive algorithms for simultaneous stabilization and decoupling of time-varying multivariable systems, 563
Adaptive control
  CGT approach, unified theory, 143
  direct, of a class of MIMO nonlinear systems, 1103
  for CARMA systems using linear neural networks, 483
  multiple objective optimization approach, 469
Adaptive fuzzy control, indirect, 441
Aircraft, highly manoeuvrable, nonlinear feedback control, 799
Algorithm
  extended minimal controller synthesis, 1139
  for estimation of multirate sampled digital control systems, 813
  for UD identification, augmented, 193
  minimal control synthesis type, application to hybrid control of class 1 manipulator, 499
  parallel, for optimal control problems of interconnected systems, 1275
Algorithms
  adaptive, for simultaneous stabilization and decoupling of time-varying multivariable systems, 563
  output-error state-space model identification class, 1187, 1211
Anaesthesia, multivariable, generalized predictive control with feedforward, 1039

Blood pressure, multivariable control, using unified real-time approximate reasoning approach to intelligent control, 365

Canonical form approximation of nonlinearity, multilayer feedforward neural networks, 655
Canonical forms of decouplable and controllable linear systems, 691
CARMA system, adaptive control using linear neural networks, 483
Chemical processes, nonlinear, regulation using dynamical sliding mode strategies, 1
Closed-loop system, perturbations, in robust feedback stabilization, 1429
Compartmental systems, minimum phase property, 23
Continuous time systems, H_∞ optimal sampled-data control, 99
Control law that achieves simultaneous tracking for a group of systems in finite time, 1419
Control laws for sliding mode speed control of variable speed drives, 1167
Controller
  decentralized minimal synthesis algorithm, 967
  extended, minimal, synthesis algorithm, 1139
  H_∞-robust, for self-tuning control applications, 733
  optimal 3D Wiener–Hopf type, numerical calculation, 227
  parametrization for robust tracking deadbeat control, 213
Controllers
  decentralized, reliable, design using unified continuous/discrete formulation, 943
  MROC type, performance under noise disturbances, 531
  robustly stabilizing, representations for systems with parameter uncertainty, 35
Convergence to the strong solution of periodic Riccati equations, 87

Deadbeat control, for both input and output, 515
Decentralized minimal controller synthesis algorithm, 967
Decouplable and controllable linear systems, canonical forms, 691
Design
  of multivariable systems, application of L-dominance concept, 1079
  of reconfigurable control system via perfect model following, 783
  QFT type, for maximizing tolerable disturbances in structured uncertain systems, 67
  reliable decentralized controllers, a unified continuous/discrete formulation, 943
Digital control systems, multirate sampled, estimation algorithm, 813
Drives, variable speed, control laws for sliding mode speed control, 1167

Failure of sensors or actuators in feedback stabilized systems, 735
Feedback, dynamic output type, variable structure control for system stabilization, 607
Feedback control, nonlinear, of highly manoeuvrable aircraft, 799
Feedback stabilization, output type
  of fully linearizable systems, 1007
  of scalar systems, 857
Feedback system stability with sensor or actuator failures, analysis, 735
Filtering, robust Kalman type, 547
Flexible structure, time-invariant model determination, 51
Force control, robust, for robotic manipulators, 631
Fuzzy control, adaptive, indirect, 441
Fuzzy neural network self-organizing control, 415

Fuzzy reasoning, neural-network-based, principles and implementation, 399

H_2/H_∞ mixed control, loop shaping, 1059
H_2 and H_∞ optimal LQ stochastic feedforward control, 703
H_2 reduced order model problem, optimal projection equations solution, homotopy methods, 173
H_∞ control with pole assignment in a specified disc, 725
H_∞ optimal sampled-data control in continuous time systems, 99
H_∞-optimization, infimum computation, 1399
H_∞ robust controller for self-tuning control applications, 733
Hermitian pencils and output feedback stabilization of scalar systems, 857
Homotopy methods for solving optimal projection equations for H_2 reduced order model problem, 173

Identification
  augmented Bierman UD factorization algorithm, 193
  of continuous systems, bias-compensating LS method in presence of coloured noise, 1441
  of subspace models, output-error state-space model identification class of algorithms, 1187, 1211
  structural, in time-domain, using free response measurements, 51
  worst-case input–output type, 673
Individual Channel Design, m-input m-output feedback control, structural issues, 1347
Infimum computation in H_∞-optimization, non-iterative method, 1399
Intelligent control
  of systems, using neural-net computing, 263
  unified real-time approximate reasoning approach
    application to multivariable blood pressure control, 365
    theoretical development, 347
Interconnected systems, parallel algorithm for optical control, 1275
Invariance, controlled, for fully nonlinear systems, 1121
Invariants, structural, of linear multivariable systems, 877

Jump parameter variations, MRAC of linear time-varying plants, 1299

Kalman filtering, robust, 547

L-dominance concept and its applications to multivariable system designs, 1079

Large scale systems, approximate balanced-truncation model reduction, 1263
Learning control
  multiple objective optimization approach, 469
  with interpolating memories, general ideas, design lay-out, theoretical approaches, practical applications, 291
Limit cycles in decentralized relay systems, 755
Linearizable systems, output feedback stabilization, 1007
Loop shaping in mixed H_2 and H_∞ control, 1059
LQG synthesis with reduced parameter sensitivity, 901
LS method, bias-compensating, for continuous system identification in presence of coloured noise, 1441

m-Input m-output feedback control by individual channel design, structural issues, 1347
Manipulator, class 1, hybrid control, application of minimal control synthesis algorithm, 499
MIMO nonlinear systems, direct adaptive control, 1103
Model-based control, of robot manipulators, enhanced scheme, 1243
Model following, perfect, used for the design of reconfigurable control systems, 783
Model reduction, approximate balanced-truncation type, for large-scale systems, 1263
Modelling, of nonlinear dynamic system, using neural networks, 319
MRAC, linear time-varying plants, jump parameter variations, 1299
Multiple objective optimization approach to adaptive and learning control, 469
Multirate sampled digital control systems, estimation algorithm, 813
Multivariable generalized predictive control, 253
Multivariable systems
  interaction indicators, 715
  linear, new structural invariants, 877

Neural-net computing and the intelligent control of systems, 263
Neural network-based approximate reasoning, principles and implementation, 399
Neural networks
  for nonlinear dynamic system modelling and identification, 319
  fuzzy, for self-organizing control, 415
  linear, for use in CARMA system adaptive control, 483
  multilayer feedforward type, canonical form approximation of nonlinearity, 655
Nonlinear dynamic system modelling and identification using neural networks, 319
Nonlinear systems, controlled invariance, 1121

Optimal projection equations for H_2 reduced order model problem, homotopy methods, 173

Parallel algorithm for optimal control problems of interconnected systems, 1275
Performance bounds and stability tests for differential linear repetitive processes, 831
Perturbation estimation in sliding mode control, 923
Perturbations of closed-loop systems in robust feedback stabilization, 1429
Pole assignment in specified disc, H^∞ control, 725
Predictive control
  generalized, with feedforward for multivariable anaesthesia, 1039
  multivariable, generalized, 253

QFT type design for maximizing tolerable disturbances in structured uncertain systems, 67

Reconfigurable control system design via perfect model following, 783
Relay systems, decentralized, limit cycles, 755
Repetitive processes linear, differential
  non-unit memory type, simulation-based stability tests and performance bounds, 581
  stability tests and performance bounds, 831
Riccati equations
  differential, periodic, existence of infinite number of periodic strong solutions, 985
  periodic, convergence to the strong solution, 87
Robot manipulators
  model-based control, enhanced scheme, 1243
  moving along prescribed paths, general structure of time-optimal control, 767
  rigid link, electrically-driven, tracking control, 991
  robust force control, 631
Robust control of nonlinear systems, compensating for uncertainty, 1453
Robust-tracking deadbeat control, 213

Sampled data control, H_∞ optimal, in continuous time systems, 99
Scalar systems, hermitian pencils and output feedback stabilization, 857
Self-organizing control using fuzzy neural networks, 415
Simulation-based stability tests and performance bounds for differential non-unit memory linear repetitive processes, 581
Sliding mode control with perturbation estimation, approach, 923
Sliding mode, dynamical, strategies in the regulation of nonlinear chemical processes, 1
Sliding mode speed control of variable speed drives, control laws, 1167
Stability tests and performance bounds for differential linear repetitive processes, 831
Stabilization
  of fully linearizable systems by output feedback, 1007
  robust feedback type, closed-loop system perturbations, 1429
Stochastic feedforward control, H_2 and H_∞ optimal LQ type, 703

Time-optimal control, general structure, of robotic manipulators moving along prescribed paths, 767
Time-varying multivariable systems, adaptive algorithms for simultaneous stabilization and decoupling, 563
Time-varying plants, linear, with jump parameter variations, MRAC, 1299
Tracking control of rigid-link electrically-driven robot manipulators, 991
Tracking, simultaneous, in finite time, for group of systems, control law, 1419

Uncertain parameter systems, representations of robustly stabilizing controllers, 35
Uncertain system, structured, QFT type design for maximizing tolerable disturbances, 67
Uncertainty compensation, robust control of nonlinear systems, 1453
Unified theory for the CGT approach to adaptive control, 143

Variable structure dynamic output feedback control for system stabilization, 607

Wiener–Hopf controller, optimal, 3D, numerical calculation, 227

INT. J. CONTROL, 1992, VOL. 56, NO. 6, 1467–1469

AUTHOR INDEX (Vol. 56)

AL-SAGGAF, U. M., Approximate balanced-truncation model reduction for large scale systems, 1263
ANDERSON, B. D. O., *see* Er, Meng J.
ANDERSON, B. D. O., *see* Helmke, U.
ANTSAKLIS, P. J., *see* Gao, Zhiqiang
APOSTOLAKIS, I. S., An estimation algorithm for multirate sampled digital control systems, 813

BANDA, S. S., *see* Yeh, H. H.
BAR-KANA, I., *see* Guez, A.
BENCHOUBANE, H., and STOTEN, D. P., The decentralized minimal controller synthesis algorithm, 967
BENCHOUBANE, H., *see* Stoten, D. P.
BERNSTEIN, D. S., *see* Žigić, D.
BILLINGS, S. A., *see* Chen, S.
BRANDT, R. D., *see* Lin, Feng
BRYANT, G. F., *see* Yeung, L. F.

CAMERON, R. G., On interaction indicators for multivariable systems, 715
CARROLL, J. J., *see* Dawson, D. M.
CASAVOLA, A., Optimal H_2 and H_∞ LQ stochastic feedforward control, 703
CHEN, B. M., SABERI, A., and LY, UY-LOI, A non-iterative method for computing the infimum in H_∞-optimization, 1399
CHEN, S., and BILLINGS, S. A., Neural networks for nonlinear dynamic system modelling and identification, 319
CHEN, YAOBIN, S., CHIEN, S. Y.-P., and DESROCHERS, A. A., General structure of time-optimal control of robotic manipulators moving along prescribed paths, 767
CHIEN, S. Y.-P., *see* Chen, Yaobin
CIOLFI, J., *see* Djaferis, T. E.
COLLINS, E. G., JR, *see* Žigić, D.

DAWSON, D. M., QU, Z., and CARROLL, J. J., Tracking control of rigid-link electrically-driven robot manipulators, 991
DE NICOLAO, G., Differential periodic Riccati equations: a note on the existence of an infinite number of periodic strong solutions, 985
DE NICOLAO, G., On the convergence to the strong solution of periodic Riccati equations, 87
DESROCHERS, A. A., *see* Chen, Yaobin
DEWILDE, P., *see* Verhaegen, M.
DIONG, B. M., and MEDANIĆ, J. V., Dynamic output feedback variable structure control for system stabilization, 607
DJAFERIS, T. E., and CIOLFI, J., Representations of robustly stabilizing controllers for systems with parameter uncertainty, 35
ĐUROVIĆ, Z., *see* Kovačević, B.

EFRATI, T., *see* Palmor, Z. J.
ELMALI, H., and OLGAC, N., Sliding mode control with perturbation estimation (SMCPE): a new approach, 923
ENNS, D. F., *see* Garrard, W. L.
ER, MENG J., and ANDERSON, B. D. O., Performance study of multi-rate output controllers under noise disturbances, 531
ERSÜ, E., *see* Tolle, H.
ESFANDIARI, F., and KHALIL, H. K., Output feedback stabilization of fully linearizable systems, 1007

FISHER, D. G., *see* Niu, Shaohua
FUKUDA, TOSHIO, *see* Watanabe, Keigo
FUNAHASHI, YASUYUKI, and KATOH, HISAO, Robust tracking deadbeat control, 213
FUNAHASHI, YASUYUKI, and KATOH, HISAO, Input/output deadbeat control, 515

GAO, ZHIQIANG, and ANTSAKLIS, P. J., Reconfigurable control system design via perfect model following, 783
GARRARD, W. L., ENNS, D. F., and SNELL, S. A., Nonlinear feedback control of highly manoeuvrable aircraft, 799
GLAVAŠKI, S., *see* Kovačević, B.
GRASSE, K. A., On controlled invariance for fully nonlinear systems, 1121
GUAN, XIAOHONG, and LUH, P. B., A new parallel algorithm for optimal control problems of interconnected systems, 1275
GUEZ, A., RUSNAK, I., and BAR-KANA, I., Multiple objective optimization approach to adaptive and learning control, 469
GÜNDEŞ, A. N., Stability of feedback systems with sensor or actuator failures: analysis, 735

HA, IN-JOONG, Canonical forms of decouplable and controllable linear systems, 691
HALEVI, Y., *see* Palmor, Z. J.
HARRIS, C. J., *see* Moore, C. G.
HELMKE, U., and ANDERSON, B. D. O., Hermitian pencils and output feedback stabilization of scalar systems, 857
HERSH, M. A., Adaptive algorithms for the simultaneous stabilization and decoupling of time-varying multivariable systems, 563
HODGSON, S. P., *see* Stoten, D. P.
HONG, G. S., *see* Zhu, H. A.
HORMEL, M., *see* Tolle, H.
HUANG, HAN-PANG, and LIN, MARLON, Robust force control for robotic manipulators, 631
HUNT, K. J., and KUČERA, V., The standard $\mathcal{H}_2$-optimal control problem: a polynomial solution, 245

JAYASURIYA, S., QFT type design for maximizing tolerable disturbances in structured uncertain systems, 67

KATOH, HISAO, *see* Funahashi, Yasuyuki

KHALIL, H. K., *see* Esfandiari, F.
KOVAČEVIĆ, B., ĐUROVIĆ, Ž., and GLAVAŠKI, S., On robust Kalman filtering, 547
KUČERA, V., *see* Hunt, K. J.

LEITHEAD, W. E., and O'REILLY, J., *m*-Input *m*-output feedback control by individual channel design. Part 1: Structural issues, 1347
LIN, FENG, BRANDT, R. D., and SUN, JING, Robust control of nonlinear systems: compensating for uncertainty, 1453
LIN, J. Y., and MINGORI, D. L., Linear-quadratic-qaussian synthesis with reduced parameter sensitivity, 901
LIN, MARLON, *see* Huang, Han-Pang
LIN, WEI, and YONG, JIONGMIN, Direct adaptive control of a class of MIMO nonlinear systems, 1103
LINKENS, D. A., and MAHFOUF, M., Generalized predictive control with feedforward (GPCF) for multivariable anaesthesia, 1039
LINKENS, D. A., and NIE, JUNHONG, A unified real-time approximate reasoning approach for use in intelligent control. Part 1: Theoretical development, 347
LINKENS, D. A., and NIE, JUNHONG, A unified real-time approximate reasoning approach for use in intelligent control. Part 2: Application to multivariable blood pressure control, 365
LINKENS, D. A., *see* Nie, Junhong
LUH, P. B., *see* Guan, Xiaohong
LY, UY-LOI, *see* Chen, B. M.

MAHFOUF, M., *see* Linkens, D. A.
MÄKILÄ, P. M., Worst-case input–output identification, 673
MEDANIĆ, J. V., *see* Diong, B. M.
MEDANIĆ, J. V., *see* Shor, M. H.
MILITZER, J., *see* Tolle, H.
MINGORI, D. L., *see* Lin, J. Y.
MITA, T., *see* Yamaguchi, T.
MOORE, C. G., and HARRIS, C. J., Indirect adaptive fuzzy control, 441
MORRIS, A. J., *see* Wang, Zhenni
MOUSTAFA, K. A. F., Time-domain structural identification using free response measurements, 51
MURATORI, S., PICCARDI, C., and RINALDI, S., On the minimum phase of compartmental systems, 21

NANDAM, P. K., and SEN, P. C., Control laws for sliding mode speed control of variable speed drives, 1167
NIE, JUNHONG, and LINKENS, D. A., Neural network-based approximate reasoning: principles and implementation, 399
NIE, JUNHONG, *see* Linkens, D. A.
NIU, SHAOHUA, FISHER, D. G., and XIAO, DEYUN, An augmented UD identification algorithm, 193

OLGAC, N., *see* Elmali, H.
O'REILLY, J., *see* Leithead, W. E.
OWENS, D. H., *see* Rogers, E.
OZCETIN, H. K., *see* Saberi, A.

PALMOR, Z. J., HALEVI, Y., and EFRATI, T., Limit cycles in decentralized relay systems, 755
PAO, YOH-HAN, PHILLIPS, S. M., and SOBAJIC, D. J., Neural-net computing and the intelligent control of systems, 263
PARK, K., and YOULA, D. C., Numerical calculation of the optimal three-degree-of-freedom Wiener–Hopf controller, 227
PARKS, P. C., *see* Tolle, H.
PERKINS, W. R., *see* Shor, M. H.
PHILLIPS, S. M., *see* Pao, Yoh-Han
PICCARDI, C., *see* Muratori, S.
POO, A. N., *see* Zhu, H. A.
PRADEEP, A. K., and SHAHRUZ, S. M., A control law that achieves simultaneous tracking for a group of systems in finite time, 1419

QU, Z., *see* Dawson, D. M.

RIDGELY, D. B., *see* Yeh, H. H.
RINALDI, S., *see* Muratori, S.
ROGERS, E., and OWENS, D. H., New stability tests and performance bounds for differential linear repetitive processes, 831
ROGERS, E., and OWENS, D. H., Simulation-based stability tests and performance bounds for differential non-unit memory linear repetitive processes, 581
RUSNAK, I., *see* Guez, A.

SABERI, A., OZCETIN, H. K., and SANNUTI, P., New structural invariants of linear multivariable systems, 877
SABERI, A., *see* Chen, B. M.
SAEKI, MASAMI, H_∞ control with pole assignment in a specified disc, 725
SAGARA, SETSUO, *see* Zhao, Zhen-Yu
SANNUTI, P., *see* Saberi, A.
SCATTOLINI, R., and SCHIAVONI, N., A note on multivariable generalized predictive control, 253

SCHIAVONI, N., *see* Scattolini, R.
SEN, P. C., *see* Nandam, P. K.
SHAHRUZ, S. M., *see* Pradeep, A. K.
SHOR, M. H., PERKINS, W. R., and MEDANIĆ, J. V., Design of reliable decentralized controllers: a unified continuous/discrete formulation, 943
SIRA-RAMÍREZ, H., Dynamical sliding mode control strategies in the regulation of nonlinear chemical processes, 1
SNELL, S. A., *see* Garrard, W. L.
SOBAJIC, D. J., *see* Pao, Yoh-Han
SOBEL, K. M., *see* Su, Wei
SPARKS, A. G., *see* Yeh, H. H.
STOTEN, D. P., and BENCHOUBANE, H., The extended minimal controller synthesis algorithm, 1139
STOTEN, D. P., and HODGSON, S. P., The application of the minimal control synthesis algorithm to the hybrid control of a class 1 manipulator, 499
STOTEN, D. P., *see* Benchoubane, B.
SU, WEI, and SOBEL, K. M., A unified theory for the CGT approach to adaptive control, 143
SUN JING, *see* Lin, Feng

TADMOR, G., H_∞ optimal sampled-data control in continuous time systems, 99
TAKAGI, T., *see* Yamaguchi, T.
TEO, C. L., *see* Zhu, H. A.
THAM, MING T., *see* Wang, Zhenni
TOLLE, H., PARKS, P. C., ERSÜ, E., HORMEL, M., and MILIZER, J., Learning control with interpolating memories—general ideas, design lay-out, theoretical approaches and practical applications, 291
TOMIZUKA, MASAYOSHI, *see* Zhao, Zhen-Yu
TSAKALIS, K. S., Model reference adaptive control of linear time-varying plants: the case of 'jump' parameter variations, 1299
TZAFESTAS, S. G., *see* Watanabe, Keigo

VERHAEGEN, M., and DEWILDE, P., Subspace model identification. Part 1: The output-error state-space model identification class of algorithms, 1187
VERHAEGEN, M., and DEWILDE, P., Subspace model identification. Part 2: Analysis of the elementary output-error state-space identification algorithm, 1211

WANG, ZHENNI, THAM, MING T., and MORRIS, A. J., Multilayer feedforward neural networks: a canonical form approximation of nonlinearity, 655
WATANABE, KEIGO, FUKUDA, TOSHIO, and TZAFESTAS, S. G., An adaptive control for CARMA systems using linear neural networks, 483
WATSON, L. T., *see* Žigić, D.

XIAO DEYUN, *see* Niu, Shaohua

YAMAGUCHI, T., TAKAGI, T., and MITA, T., Self-organizing control using fuzzy neural networks, 415
YEH, H. H., BANDA, S. S., SPARKS, A. G., and RIDGELY, D. B., Loop shaping in mixed H_2 and H_∞ control, 1059
YEUNG, L. F., and BRYANT, G. F., The L-dominance concept and its applications to multivariable system designs, 1079
YONG, JIONGMIN, *see* Lin, Wei
YOULA, D. C., *see* Park, K.

ZHANG, HANQUAN, Comment on 'H_∞ robust controller for self-tuning control applications', 733
ZHAO, ZHEN-YU, SAGARA, SETSUO, and TOMIZUKA, MASAYOSHI, A new bias-compensating LS method for continuous system identification in the presence of coloured noise, 1441
ZHU, H. A., TEO, C. L., HONG, G. S., and POO, A. N., An enhanced scheme for the model-based control of robot manipulators, 1243
ZHU, S. Q., Perturbations of closed-loop systems in robust feedback stabilization, 1429
ŽIGIĆ, D., WATSON, L. T., COLLINS, E. G., JR, and BERNSTEIN, D. S., Homotopy methods for solving the optimal projection equations for the H_2 reduced order model problem, 173